




SLIM - CABLE SUSPENSION

KRISKADECOR FIXING SYSTEM




Rectangular rail that adapts to any straight line or curved shape.

Fixed System

	Profile	Fixings
Material	Aluminium	Steel
Weight	0.427 kg / m	-
Finishing and Colour	Anodised PPC (Custom RAL Colour)	Zinc plating (silver)
Minimum curving radius	200mm	-




Kriska	Standard (78 strands / m), Halfdrop (100 strands / m)
Snina	Standard (100 strands / m) Halfdrop (132 strands / m)



Measurements and data are approximate and should be confirmed with a physical sample. If you are unsure if you are selecting the right mesh for your application please contact the technical team for more information

SLIM - CEILING

KRISKADECOR FIXING SYSTEM



Rectangular rail that adapts to any straight line or curved shape.

Fixed System

	Profile	Fixings
Material	Aluminium	Steel
Weight	0.427 kg / m	-
Finishing and Colour	Anodised PPC (Custom RAL Colour)	PPC (Custom RAL Colour)
Minimum curving radius	200mm	-

Kriska	Standard (78 strands / m), Halfdrop (100 strands / m)
Snina	Standard (100 strands / m) Halfdrop (132 strands / m)




- Straight

Ceiling waves
- Curved

Measurements and data are approximate and should be confirmed with a physical sample. If you are unsure if you are selecting the right mesh for your application please contact the technical team for more information

SLIM - WALL

KRISKADECOR FIXING SYSTEM



Rectangular rail that adapts to any straight line or curved shape.

Fixed System

	Profile	Fixings
Material	Aluminium	Steel
Weight	0.427 kg / m	-
Finishing and Colour	Anodised PPC (Custom RAL Colour)	Anodised PPC (Custom RAL Colour)
Minimum curving radius	200mm	-

Kriska	Standard (78 strands / m), Halfdrop (100 strands / m)
Snina	Standard (100 strands / m) Halfdrop (132 strands / m)

Straight

Ceiling waves

Curved